

Supplementary: Decoding the visual attention of pathologists to reveal their level of expertise

Souradeep Chakraborty¹, Rajarsi Gupta², Oksana Yaskiv⁴, Constantin Friedman⁴, Natallia Sheuka⁴, Dana Perez⁴, Paul Friedman⁴, Gregory Zelinsky^{1,3}, Joel Saltz^{1,2}, and Dimitris Samaras¹

¹ Department of Computer Science, Stony Brook University, NY, USA

² Department of Biomedical Informatics, Stony Brook University, NY, USA

³ Department of Psychology, Stony Brook University, NY, USA

⁴ Department of Pathology and Laboratory Medicine, Northwell Health Laboratories, USA

Table 1: Pathologist expertise classification performance (2-way, i.e. specialists/non-specialists), using temporal heatmaps, magnification-wise heatmaps and a combination of both via 5-fold cross validation on our attention dataset. Combining both heatmap types yields the best results.

Model	Accuracy	F1-score	AUC score
Random	0.500 ± 0.000	0.500 ± 0.000	0.250 ± 0.000
ExpertiseNet (w/ Temporal heatmaps)	0.763 ± 0.013	0.763 ± 0.016	0.764 ± 0.015
ExpertiseNet (w/ Magnification heatmaps)	0.787 ± 0.008	0.785 ± 0.011	0.785 ± 0.001
ExpertiseNet (w/ Temporal + Magnification heatmaps)	0.806±0.023	0.806±0.024	0.806±0.028