This MICCAI paper is the Open Access version, provided by the MICCAI Society. It is identical to the accepted version, except for the format and this watermark; the final published version is available on SpringerLink.

Table 1: Classification metrics for our proposed FetalEDL+N+V model for all the 20 classes.

Standard Plane Class Name	**Precision**	**Sensitivity**	**F1 Score**	**No. of images**
3 Vessel View or PAS	0.8893	0.9581	0.9224	453
4 Chamber View of Heart	0.9916	0.9711	0.9812	485
Abdominal Circumference	0.9955	0.9932	0.9943	883
Cord Insertion	0.9498	0.9876	0.9683	402
Coronal Spine	0.4615	0.8571	0.6000	28
Femur	0.9821	0.9947	0.9883	936
Full Body Coronal View	0.9952	0.9707	0.9828	854
Humerus	0.5000	0.0667	0.1176	15
LVOT	0.9358	0.9970	0.9654	336
Median Facial Profile	0.9882	0.9976	0.9929	419
Nose and Mouth	0.9938	0.9278	0.9597	693
Orbits and Lenses	0.9392	0.9986	0.9680	727
RVOT	0.9906	0.9320	0.9604	338
Radius and Ulna	0.6250	0.2273	0.3333	22
Sagittal Spine	0.9945	0.9878	0.9912	1646
Tibia and Fibula	0.6400	0.8889	0.7442	18
Transcerebellar Plane	0.9927	0.9090	0.9490	747
Transthalamic Plane	0.9772	0.9461	0.9614	816
Transventricular Plane	0.8934	0.9834	0.9362	784
Transverse Kidneys	0.9943	0.9679	0.9809	717
Macro Average	**0.8865**	**0.8781**	**0.8649**	**11319**